


Container from the Market Leader



Best-Point Technology Made in Germany

10 year Anti-Corrosion Warranty at <u>ANY</u> place,
at <u>ANY</u> time and
for <u>ANY</u> application

Quick-Build-Container SC3000+



Quick-Build-Container SC3000+

The professionally usable container for every application, on both small and large construction sites as well as for industry and trade: flexible, mobile and yet solid and built in lightening speed.

- 4 crane eyes for easy on-site transportation (Exception: LZ door type – container with double door in side wall)
- Metal runners for forklift transport and for ground ventilation
- Snow load safety 210kg/m², increase to 300kg/m² possible
- Sturdy OSB wooden flooring, distributed load bearing capacity 500kg/m²
- Tool-free assembly, simple and quick with 2 persons in just 5 minutes (example 3x2m)
- Up to 3 tons can be lifted by crane (6 tons tested)

Delivery:

- Flat-packed
- Assembled



Optional accessories (selection):









MaterialContainer MCL+



MaterialContainer MCL+

As the 'little brother' of the SC3000+, the MCL+ serves as an entry-level or basic model. Especially private users appreciate a simple, standardised and cost-effective unit that still provides perfect storage space.

The versatile container can be used in almost any location, i.e. in, next to and even on top of buildings. The MCL+ is the perfect solution for locations which are inaccessible by lorry or crane thanks to its disassembled delivery.


- Snow load safety 210kg/m²
- Sturdy OSB wooden flooring, distributed load bearing capacity 300kg/m²
- Assembly with tools, quick and easy, with 2 persons in 30 minutes

Delivery:

Flat-packed

Shelving system SC3000+ MCL+









Comparison of the proven classics

The BOS SC3000+ and MCL+ storage containers are at home wherever storage space is needed in the shortest possible time: extremely quick to assemble, robust and available in many sizes.

Test point	BOS Quick-Build-Container SC3000+	BOS MaterialContainer MCL+
Made in Germany	✓	✓
Anti-corrosion warranty	√ 10 years	√ 10 years
Width	2,1m Special dimensions possible	2,1m
Depth	1m / 2m / 3m / 4m / 5m / 6m Special dimensions possible	2m / 3m / 4m
Height	2,1m / 2,4m	2,1m
Door layout	SE SZ LE LZ	SE LE
Snow load safety	210kg/m² optionally up to 300kg/m²	210kg/m²
Lifted by crane TÜV tested / GS mark	up to 3 tons (Exception: LZ door type)	X
Load bearing capacity OSB flooring	500kg/m² optionally 1000kg/m²	300kg/m²
Metal runners for forklift transport + ground ventilation	✓	X
Accessories and options	shelving system, burglar protection, access ramp, anti-condensation coating, exterior painting, light panel/window, container coupling	shelving system, burglar protection, access ramp
Assembly time	5 minutes	30 minutes

BOS GmbH Best Of Steel Phone: +49 (0)2572 203-170 Lütkenfelde 4 D-48282 Emsdetten

Container@BestOfSteel.de www.Container-BestOfSteel.de









