

General Catalogue

# CONTAINERS

FROM THE MARKET LEADER!



# The Company

## 45 years of storage space made of steel

For 45 years, BOS Best Of Steel has been at the forefront of the mobile storage systems industry. Our key values are quality, reliability and innovation. Our aim is to consistently provide you with simple and suitable solutions for your various requirements. You not only receive robust and flexible storage solutions with our products, but also first class service, which is characterised by the highest quality, fast processing and complete handling from quotation through to order.

### BOS Quick-Build-Container

The BOS Quick-Build-Container is the undisputed classic in the field of mobile storage space. It is extremely quick to assemble, robust and available in many sizes. Thanks to the modular design, you can expand or adapt it anywhere at any time — ideal for short-term storage requirements. Whether on construction sites, in industry, in trade or commerce — our Quick-Build-Container offers you storage space anywhere, anytime and for any application.

### Our mission

Our aspiration is to offer you solutions which are not only functional, but also economically viable. We understand the needs of our customers and are continuously working to further optimise our products. No matter what challenges you face in the field of storage, with BOS Best Of Steel, you always have the right partner at your side.

### Contact us

Do you have any questions or would you like to find out more about our products? Our dedicated team is always available and happy to help.

Discover the world of BOS Best Of Steel — your solution for mobile storage space which fulfils the highest demands.



Certified products provide trust and safety

**BEST OF STEEL**



# Contents

Containers	
➤ Sustainability	4
➤ Product advantages	5
➤ Quick-Build-Container SC3000+	8
➤ Quick-Build-Container SC3000+ Door systems	10
➤ Storage Container SC10+ / SC20+ / SC40+	12
➤ Quick-Build-Container SC3000+ Custom-Made	14
➤ Material Container MCL+	16
➤ Container Combination SCC2100+ / SCC2400+ coupled side-to-side	18
➤ Container Combination SCC2100+ / SCC2400+ coupled end-to-end	20
➤ Engineer's Shelter BPH+	22
➤ Shelter US10+ / US20+	24
➤ Mobile Box MB1+ / MB2+	26
➤ Tool Security Box WSB+	28
➤ Gas Cylinder Container SGL+	30
References	
➤ Containers	32
Accessories/Options	
➤ Tidiness	36
➤ Security	37
➤ Comfort	38

# Why BOS?

## This is what we offer you!

Discover the unrivalled quality and durability of our containers, which we develop specifically for our discerning clientele. Our products are characterised by the following key features and benefits:



### Steel - a sustainable material

Our containers are made from robust, sustainable steel with a high recycling content. This material guarantees an extremely long service life with virtually no wear and tear.


Another decisive advantage: if necessary, our products can be almost completely recycled, making them an environmentally friendly choice.



### Made in Germany

Quality that you can rely on: our containers are made in Germany.

This guarantees the highest manufacturing standards as well as innovative solutions which meet the most demanding requirements.



### Quality of advice

What sets us apart is our comprehensive range of services. We offer excellent quality of advice to help you to find exactly the right solution for your needs.



### Fast deliveries

We know how important time is in your business. That is why we ensure that your orders are delivered quickly and reliably so that you can continue your projects without delay.

## Your benefits at a glance

- Sustainable steel: durable and almost completely recyclable
- Made in Germany: highest quality and manufacturing standards
- Quality of advice: individual and competent advice
- Fast deliveries: prompt and reliable delivery

Trust our expertise and sustainable solutions.

Contact us today to learn more about our products.



Quality



Safety



Environment




Energy

BOS uses an **“Integrative Management System”**, as only certified quality prevails.

Permanent monitoring and continuous improvement processes are the cornerstones of the BOS quality.



## Quick-Build-Containers







The proven standard for construction, industry and trade.

#### PRODUCT ADVANTAGES

- Sturdy, robust, durable and resistant
- Highest industrial safety, certified by TÜV and GS mark
- Protection from burglary and theft via profile cylinder lock and solid shoot bolt
- 4 jack rings and metal runners for easy on-site transportation
- Cost saving self assembly option (simple construction kit with detailed instructions)



TOOL-FREE  
ASSEMBLY  
simple and quick



THE CLASSIC  
TAKEN FURTHER:  
NO. 1 WORLDWIDE



BEST OF STEEL



Made in Germany

## Quick-Build-Container SC3000+ (with and without flooring)

The SC3000+ Quick-Build-Container from BOS Best Of Steel is **suitable for professional use** and a wide range of applications. It boasts impressive flexibility, mobility and stability making it ideal for the use on small and large building sites as well as for industry and trade. It is characterised by its quick and straightforward assembly, making it particularly efficient and time-saving.

The SC3000+ offers a versatile and robust solution for all storage requirements.

For areas subject to particularly heavy snow, the SC3000+ is available with an increased snow load safety of 300kg/m<sup>2</sup> in versions with SE and SZ door arrangements.



TOOL-FREE  
ASSEMBLY  
simple and quick



ASSEMBLY /  
DISASSEMBLY  
in 5 minutes



- 4 jack rings for easy on-site transportation, up to 3 tons can be lifted by crane  
(Exception: LZ version)
- Metal runners for forklift transport and for ground ventilation
- Snow load safety 210kg/m<sup>2</sup>
- Increase to 300kg/m<sup>2</sup> possible (only by SE and SZ door arrangements, without GS mark, cannot be craned)
- Sturdy OSB wooden flooring
- Load bearing capacity 500kg/m<sup>2</sup> (permissible area load)
- Tool-free assembly, simple and quick – with 2 people in just 5 minutes (example 3x2m)

Delivery:






- Flat-packed
- Assembled



Assembly video



Experience containers in 360°

	Door arrangements: (Details see page 10-11)					
	SZ	SE	LE	LZ		
	 In front face, double door: 1750x1890 mm	 In front face, single door: 1150x1890mm	 In side wall, single door: 1150x1890mm	 In side wall, double door: 1750x1890 mm (without TÜV/GS) (not in stock)		
SC3000+	1x2	2x2	3x2	4x2	5x2	6x2
Width external/internal (mm)	2100 / 1975	2100 / 1975	2100 / 1975	2100 / 1975	2100 / 1975	2100 / 1975
Depth external/internal (mm)	1100 / 975	2100 / 1975	3100 / 2975	4100 / 3975	5100 / 4975	6100 / 5975
Height external/internal (mm)	2100 / 1935	2100 / 1935	2100 / 1935	2100 / 1935	2100 / 1935	2100 / 1935
Weight (kg)	220	325	410	515	600	705
Bestseller						

- ✓ All containers are also available without flooring for level access.
- ✓ All containers can also be supplied in a height of 2400mm (see SC3000+ Custom-Made page 14).

### Our bestsellers!



SC3000+  
2x2-SE



SC3000+  
2x2-SZ



SC3000+  
3x2-SE



SC3000+  
3x2-SZ



SC3000+  
4x2-SE



SC3000+  
4x2-SZ

**OUR STANDARD:  
HIGH STABILITY  
AND SAFETY**



**BEST OF STEEL**  
Made in Germany


## Quick-Build-Container SC3000+ Door systems

### CHOICE OF DOOR SYSTEM:

There are different door systems available for the SC3000. The versions SZ and SE are mounted in the front face, the versions LE and LZ are integrated in the side wall. All four corners of the container can be equipped with BOS protective corner covers. These offer increased stability and security, especially for the tough 'everyday life' on construction sites.


# Quick-Build-Container SC3000+

## Door systems




SZ

- In front face
- Double door
- 1750 x 1890 mm
- Optional: 2 protective corner covers




SE

- In front face
- Single door
- 1150 x 1890 mm
- Optional: 4 protective corner covers



LE

- In side wall
- Single door
- 1150 x 1890 mm
- Optional: 4 protective corner covers



LZ

- In side wall
- Double door
- 1750 x 1890 mm
- Optional: 4 protective corner covers





THE BETTER  
ALTERNATIVE TO A  
SEA CONTAINER



BEST OF STEEL



Made in Germany

## Storage Container SC10+ / SC20+ / SC40+

The storage container offers **affordable** and **spacious storage space** for construction sites, industry, trade and crafts. As a better alternative to a sea container, it impresses with its robust construction and the possibility of changing location quickly if necessary.

Storage containers from BOS Best Of Steel are ideal for a wide range of applications and provide a reliable and flexible storage solution which meets the high requirements of various industries.




TOOL-FREE  
ASSEMBLY  
simple and quick






ASSEMBLY /  
DISASSEMBLY  
in 10 minutes

- 4 jack rings for easy transportation, up to 3 tons can be lifted by crane (SC10+ / SC20+)
- Metal runners for forklift transport (SC10+ / SC20+) and for ground ventilation
- Snow load safety 210kg/m<sup>2</sup> (SC10+ / SC20+)
- Sturdy OSB wooden flooring
- Load bearing capacity 500kg/m<sup>2</sup> (permissible area load)
- Tool-free assembly, simple and quick – with 2 people in just 10 minutes (example SC10+)
- Protective corner covers for additional stability



Delivery:

- Flat-packed
- Assembled (SC10+ and SC20+)

 (SC10+ / SC20+)		Door arrangements: <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">               In front face, single door: 1150x2235 mm           </div> <div style="text-align: center;">               In front face, double door: 1950x2235 mm           </div> </div>		
SC		10+	20+	40+ (= 2xSC20+, joined)
Width external/internal	(mm)	2300 / 2175	2300 / 2175	2300 / 2175
Depth external/internal	(mm)	3100 / 2975	6100 / 5975	12200 / 12075
Height external/internal	(mm)	2445 / 2280	2445 / 2280	2445 / 2280
Height lower edge of roof in coupling section	(mm)	–	–	2220
Weight	(kg)	475	810	1505



Version SC10+SE



Version SC10+SZ

CUSTOM-MADE



BEST OF STEEL



Made in Germany

## Quick-Build-Container SC3000+ Custom-Made (with and without flooring)

Our team can also fulfil unusual requests: SC3000+ are **individual containers** for your **specific needs**, for example with particular dimensions or equipment requirements for special purposes.

Length, width and height- all according to your wishes!



- Non-standard sizes are available in steps of +/-200mm in depth and width
- Special heights and customised accessories can also be supplied
- The door arrangement is individually possible in the front and side walls



		Door arrangements:			
		SE	SZ	LE	LZ
SC3000+ Custom-Made					
Width	(mm)	700 to 2900			
Depth	(mm)	700 to 6100			
Height	(mm)	1600 / 2100 / 2400 / 2600			


 All containers are also available without flooring for level access.



Balcony containers provide extra space where housing is confined



Slim design container



Container with an extra wide door and no flooring



Custom-made container with ventilation apertures



Container in low height design



Container in a special length



Container with a partition



BEST OF STEEL



Made in Germany

## MaterialContainer MCL+

The MaterialContainer MCL+ is the little brother of the SC3000+ and ideal as an entry-level model for **private use**.

In locations inaccessible by lorry or crane, the MCL+ from BOS Best Of Steel is the perfect solution as it is delivered in parts. This basis container is versatile and fulfils all requirements for universal use, for example as a tool shed, bicycle garage etc.

- Snow load safety 210 kg/m<sup>2</sup>
- Sturdy OSB wooden flooring
- Load capacity 300kg/m<sup>2</sup> (permissible area load)
- Assembly with tools, simple and quick – with 2 people in 30 minutes

Delivery:

- Flat-packed

		Door arrangements:		
		<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> <p>SE</p>  <p>In front face, single door: 1150x1890mm</p> </div> <div style="text-align: center;"> <p>LE</p>  <p>In side wall, single door: 1150x1890mm</p> </div> </div>		
MCL+		2x2	3x2	4x2
Width external/internal	(mm)	2100 / 1975	2100 / 1975	2100 / 1975
Depth external/internal	(mm)	2100 / 1975	3100 / 2975	4100 / 3975
Height external/internal	(mm)	2080 / 1935	2080 / 1935	2080 / 1935
Weight	(kg)	315	415	500



MCL+ as a garden shed



MCL+ as storage space



**New now!**

More headroom in our  
models with lengths of  
3 m and 4 m.

**SPACE MIRACLE**

Up to 30m<sup>2</sup>



**BEST OF STEEL**



Made in Germany

## ContainerCombination coupled side-to-side SCC2100+ / SCC2400+ (with and without flooring)






The ContainerCombination from BOS Best Of Steel offers the perfect solution when the space requirement is up to **30 m<sup>2</sup>** (thus exceeding the capacity of a normal container) and at the same time a cost-effective and easily **relocatable** storage concept with a high benefit/cost ratio is desired.






This flexible storage unit can easily be adapted to different locations and is ideal as a mini warehouse. It combines the benefits of mobility and stability providing an excellent storage solution for a wide range of requirements.

- Stable and rigid construction, based on the Quick-Build-Container SC3000+
- Available in 2 different external heights: 2.1m and 2.4m
- Metal runners for ground ventilation
- Sturdy OSB wooden flooring
- Load bearing capacity 500kg/m<sup>2</sup> (permissible area load)
- The assembly is as for the Quick-Build-Container – simple and fast
- Protective corner covers for additional stability

Delivery:

- Flat-packed

<div>2100 mm height</div> 	<div>Door arrangements:</div> <div><div><div>LE</div><div>In side wall, single: 1150x1890mm</div></div><div><div>LE</div><div>In side wall, single: 1150x1890mm</div></div><div><div>LZ</div><div>In side wall, double: 1750x1890mm</div></div><div><div>LZ</div><div>In side wall, double: 1750x1890mm</div></div></div>					
	SCC2100+ side-to-side	3x4	3x6	4x4	4x6	5x4
Width external/internal (mm)	4330 / 4205	6560 / 6435	4330 / 4205	6560 / 6435	4330 / 4205	6560 / 6435
Depth external/internal (mm)	3100 / 2975	3100 / 2975	4100 / 3975	4100 / 3975	5100 / 4975	5100 / 4975
Height external/internal (mm)	2315 / 1935	2315 / 1935	2315 / 1935	2315 / 1935	2315 / 1935	2315 / 1935
Height lower edge of roof in coupling section (mm)	1875	1875	1875	1875	1875	1875
Weight (kg)	775	1125	970	1410	1130	1645

<div><div>2400 mm height</div><div></div></div>	<div><div>Door arrangements:</div><div><div><div>LE</div><div></div><div>In side wall, single: 1150x2235mm</div></div><div><div>LE</div><div></div><div>In side wall, single: 1150x2235mm</div></div><div><div>LZ</div><div></div><div>In side wall, double: 1750x2235 mm</div></div><div><div>LZ</div><div></div><div>In side wall, double: 1750x2235mm</div></div></div></div>					
SCC2400+ side-to-side	3x4	3x6	4x4	4x6	5x4	5x6
Width external/internal (mm)	4330 / 4205	6560 / 6435	4330 / 4205	6560 / 6435	4330 / 4205	6560 / 6435
Depth external/internal (mm)	3100 / 2975	3100 / 2975	4100 / 3975	4100 / 3975	5100 / 4975	5100 / 4975
Height external/internal (mm)	2660 / 2280	2660 / 2280	2660 / 2280	2660 / 2280	2660 / 2280	2660 / 2280
Height lower edge of roof in coupling section (mm)	2220	2220	2220	2220	2220	2220
Weight (kg)	820	1185	1020	1475	1190	1715

✓ All containers are also available without flooring for level access.



BEST OF STEEL



Made in Germany

## ContainerCombination coupled end-to-end SCC2100+ / SCC2400+ (with and without flooring)

When long articles (e.g. pipes) need to be stored and an easily relocatable solution with a length of **up to 12m** is needed, then the ContainerCombination SCC2100+ / SCC2400+ comes into play. It is both a **cost-effective** and **secure** storage solution with a high benefit/cost ratio.


The ContainerCombination can also be used as a mini warehouse.




- Stable and rigid construction, based on the Quick-Build-Container SC3000+
- Available in 2 different external heights: 2.1m and 2.4m
- Metal runners for ground ventilation
- Sturdy OSB wooden flooring
- Load bearing capacity 500kg/m<sup>2</sup> (permissible area load)
- The assembly is as for the Quick-Build-Container – simple and fast
- Protective corner covers for additional stability

Delivery:

- Flat-packed

Measurements in mm 2100 mm height	Door arrangements:  In side wall, double: 1750x1890 mm						
<b>SCC2100+ end-to-end</b>	<b>6x2</b>	<b>7x2</b>	<b>8x2</b>	<b>9x2</b>	<b>10x2</b>	<b>11x2</b>	<b>12x2</b>
Width external/internal	2100/1975	2100/1975	2100/1975	2100/1975	2100/1975	2100/1975	2100/1975
Depth external/internal	6200/6075	7200/7075	8200/8075	9200/9075	10200/10075	11200/11075	12200/12075
Height external/internal	2100/1935	2100/1935	2100/1935	2100/1935	2100/1935	2100/1935	2100/1935
Height lower edge of roof in coupling section	1875	1875	1875	1875	1875	1875	1875
Weight (kg)	750	855	965	1050	1135	1245	1350

Measurements in mm 2400 mm height	Door arrangements:  In side wall, double: 1750x2235 mm						
<b>SCC2400+ end-to-end</b>	<b>6x2</b>	<b>7x2</b>	<b>8x2</b>	<b>9x2</b>	<b>10x2</b>	<b>11x2</b>	<b>12x2</b>
Width external/internal	2100/1975	2100/1975	2100/1975	2100/1975	2100/1975	2100/1975	2100/1975
Depth external/internal	6200/6075	7200/7075	8200/8075	9200/9075	10200/10075	11200/11075	12200/12075
Height external/internal	2445/2280	2445/2280	2445/2280	2445/2280	2445/2280	2445/2280	2445/2280
Height lower edge of roof in coupling section	2220	2220	2220	2220	2220	2220	2220
Weight (kg)	810	920	1030	1125	1215	1325	1440

✓ All containers are also available without flooring for level access.



BEST OF STEEL



Made in Germany

## Engineer's Shelter BPH+


The Engineer's Shelter is a perfect **mini-office on building sites**, offering protection from the rain and wind and serving as an ideal 'meeting place' for architects and site managers.

At the same time, the sturdy and lockable BPH+ is a secure **storage place** for plans and drawings.


- A door catch prevents the door from slamming
- 4 jack rings for easy transportation
- Can be lifted by crane when empty
- Forklift pockets for transport
- Sturdy OSB wooden flooring
- Load bearing capacity 500kg/m<sup>2</sup> (permissible area load)
- Protective corner covers for additional stability

Delivery:

- Assembled

	<b>Door arrangements:</b>  <p>Roof overhang: 1x2 m, double door: 1750x1890 mm</p>	
<b>BPH+</b>		
Width external/internal	(mm)	2100 / 1975
Depth external/internal	(mm)	1100 / 975 (2100mm incl. roof overhang)
Height external/internal	(mm)	2080 / 1935
Weight (incl. accessories)	(kg)	280

## ACCESSORIES/OPTIONS:



Drawing board with 1 shelf



Drawing shelf



Light panel in the roof

WEATHER  
PROTECTION



BEST OF STEEL



Made in Germany

## Shelter US10+ / US20+

The US10+ / US20+ shelter **protects against wind and weather** but is still **freely accessible**.

It is practical and generously sized, ideal for storing materials, equipment, vehicles or as a shelter for people and animals.



- Floor-level, threshold-free access
- Ground fastening with ground nails
- Ground fastening with dowels on foundation as option
- Assembly simple and fast without special tools
- Protective corner covers for additional stability

Delivery:

- Flat-packed

US		US10+	US20+
Width external/internal	(mm)	2300 / 2175	2300 / 2175
Depth external/internal	(mm)	3100 / 2975	6100 / 5975
Height external/internal	(mm)	2380 / 2340	2380 / 2340
Entrance height (supports)	(mm)	2140	2140
Weight	(kg)	340	530



US20+ as a combi-shelter for waste containers and bicycles



US20+ for housing wire mesh crates – quicker access with fork-lift or pallet trucks



US20+ as a shelter for bicycles



BEST OF STEEL  
  
Made in Germany

## Mobile Box MB1+ / MB2+




The Mobile Box from BOS Best Of Steel is a **lockable, mobile material cabinet/workshop trolley** that provides protection against the weather and damage to materials and theft – particularly on large construction sites with multiple storeys, but also in workshops and factories.

We have designed it to be especially robust and secure for day-to-day use.

- 4 jack rings as standard. Can be lifted by crane: MB1+ up to 300kg, MB2+ up to 600kg
- Metal runners for safe forklift transport and for ground ventilation
- Protective corner covers for additional stability
- Snow load safety 210kg/m<sup>2</sup>
- Sturdy OSB wooden flooring
- Load bearing capacity 500kg/m<sup>2</sup> (permissible area load)

Delivery:

- Assembled

	Door arrangements: <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>Single door, 750x1390mm</p> </div> <div style="text-align: center;">  <p>Double door, 1750x1390mm</p> </div> </div>	
	MB	MB2+
Width external/internal (mm)	1100 / 975	2100 / 1975
Depth external/internal (mm)	700 / 575	700 / 575
Height external/internal (mm)	1600 / 1435	1600 / 1435
Height with castors external/internal (mm)	1795 / 1435	1795 / 1435
Weight (kg)	100	160



Swivel and fixed castors:  
load 300kg/castor



Version MB1+



Version MB2+

THE SAFE



BEST OF STEEL



Made in Germany

## Tool Security Box WSB+

If **secure, lockable storage** for personal tools, small appliances, and general equipment is needed, which can be used on lorries, vans, trailers, flatbed vehicles or directly on the building site, then the WSB+ is the perfect solution.

High protection against theft, weather and damage, as well as easy loading are the biggest plus points of the Tool Security Box.



- As a 'safe' for valuable tools and appliances
- Can be firmly attached to the vehicle
- Gas struts prevent slamming of the lid
- Transport of the box:
  - manual (4 handles)
  - forklift truck (forklift pockets, also for ventilation)
  - crane (4 jack rings), can be lifted by crane up to 250kg permissible total weight
- Protective corner covers for additional stability
- Sturdy OSB wooden flooring
- Load bearing capacity 500kg/m<sup>2</sup> (permissible area load)

Delivery:

- Assembled

WSB+		
Width external/internal	(mm)	1900 / 1770
Depth external/internal	(mm)	700 / 570
Height external/internal	(mm)	875 / 750
Weight	(kg)	105



2 optional discus locks



Typical on a building site:  
a WSB+ on a utility vehicle



**BEST OF STEEL**



Made in Germany

## Gas Cylinder Container SGL+

The Gas Cylinder Container from BOS Best Of Steel offers a **cost-effective and secure storage option** for gas cylinders that complies with legal requirements. This storage unit meets strict safety requirements and offers impressive value for money.






With its robust design, the SGL+ protects against external influences whilst ensuring easy access to the gas cylinders. Thanks to its flexible yet sturdy construction, it can easily be integrated into existing storage concepts. The Gas Cylinder Container meets the highest safety standards.

- Holding brackets and straps protect the gas cylinders from falling over
- 4 jack rings for easy transportation
- Can be lifted by crane when empty
- Metal runners for safe forklift transport and for ground ventilation
- Grate floor for natural ventilation
- Load bearing capacity 500kg/m<sup>2</sup> (permissible area load)

Delivery:

- Assembled

❗ TRGS 510 regulates the storage of gas cylinders. It states, among other things, that gas cylinders must be stored on level ground and secured against falling over. For this purpose, lashing straps can be used for example (included in the scope of delivery).

Door arrangements:	SE  1x single door: 1305x1890mm	SZ  1x double door: 1750x1890mm	SZ  1x double door: 1750x1890mm	LE/LE  2x single doors: 1305x1890mm	LZ/LZ  2x double doors: 1750x1890mm
SGL+	1,5x1,5	1x2	2x2	3x2	4x2
Width external/internal (mm)	1500 / 1375	2100 / 1975	2100 / 1975	2100 / 1975	2100 / 1975
Depth external/internal (mm)	1500 / 1375	1100 / 975	2100 / 1975	3100 / 2975	4100 / 3975
Height external/internal (mm)	2100 / 1935	2100 / 1935	2100 / 1935	2100 / 1935	2100 / 1935
Storage capacity (Amount)					
• 5kg (Ø 230mm)	32	32	75	104	149
• 11kg (Ø 300mm)	18	18	42	66	90
• 33kg (Ø 320mm)	16	18	39	60	81
• 50kg (Ø 230mm)	32	32	75	104	149
Weight (incl. accessories) (kg)	240	240	350	500	650

✓ All Gas Cylinder Containers are also available without flooring for level access.



SGL+ 1,5x1,5 SE



SGL+ 1x2 SZ



SGL+ 3x2 LE/LE



SGL+ 4x2 LZ/LZ



# References

## Containers



At the Skatepark Emsdetten/Germany



As storage space for a kite school



On a strawberry field



As a motorbike garage



At an Open Air Festival



As a sales booth in Australia



# References

## Containers



On a construction site



As a storage unit at the beach



With wood panelling



In a park as storage



As housing for a power distribution box



On the roof of an industrial building




## References

### Containers



As a tool shed



For pipe storage



As a version without flooring for ground-level access



As a tool box in a garage



On tour



As additional storage space



## References

### Containers



As a garden shed



As an animal shelter



On a crane



Camouflaged in the woods



As a bike shed




At a builder's yard



# Accessories/Options


## Tidiness



### Shelving system

3 levels, 1/2/3m lengths, 420mm depth. From galvanized steel, load bearing capacity of 50kg per shelf bracket. Adjustable in height in 100mm steps.

Article no.	Height 2100 mm	Height 2400 mm
1m	ZRS210-3-1-420	ZRS240-3-1-420
2m	ZRS210-3-2-420	ZRS240-3-2-420
3m	ZRS210-3-3-420	ZRS240-3-3-420



### Tool rail

Slot-in, galvanized tool rail for spades, shovels, brooms etc.

Article no.: ZGL-C



### Clothes rail

Slot-in, galvanized steel rail with 5 hooks for clothing, hats etc.

Article no.: ZKHL-C



### Hose and cable suspension

Slot-in, galvanized steel half shell for garden hoses, cables etc.

Article no.: ZSKA



## Accessories/Options

### Security



#### Burglar protection

Retrofittable security system including padlock for BOS Containers/Quick-Build-Warehouses from 2010 onwards.

Article no.:

ZEBS-1 (single door)

ZEBS-2 (double door)



#### Anti-theft security bar

Retrofittable security bar for single and double doors in solid steel with padlock.

Article no.: ZDSV-1-W (single door)

Article no.: ZDSV-2-1750 (double door 1750mm)

Article no.: ZDSV-2 (double door 1950mm)



#### VdS approved security lock

Meets the special requirements of insurance companies.

For double doors.


Article no.: ZEBS-2VDS



#### Anti-condensation coating

The pre-applied coating on the underside of the roof absorbs humidity protecting stock effectively from condensation.

Article no.: ZAKW



#### Protective corner covers

Corner covers provide additional theft and collision protection as well as increased stability.

Article no.: ZSE-2100 for container height 2.1m (per piece)

Article no.: ZSE-2400 for container height 2.4m (per piece)

## Accessories/Options

### Comfort

10



#### Large access ramp

Suitable for single and double doors. Made of non-slip aluminium-duet-sheeting. 870x1460mm, weight 25kg, load 250kg.

Article no.: ZAFR-920

11



#### Small access ramp

Suitable for single and double doors. Made of non-slip aluminium-duet-sheeting. 500x500mm, weight 3kg, load 200kg.

Article no.: ZAFR-500

12



#### Universal Roof Mount

For attaching solar panels, advertising signs etc. Tool-free installation in any roof corrugation.

Article no.: ZUDA2100 for container width 2.1m

Article no.: ZUDA2300 for container width 2.3m



#### BOS-Video-Service:

Scan here to experience the accessories live.

## Accessories/Options

### Comfort

13



#### Electrical package FutureBall

Can be hung on the wall or ceiling using mounted magnets. Foldable hooks for optional suspension.

Energy saving SMD-LED light, 5m connecting cable with earthing contact plug, plug socket, on/off switch.

Article no.: ZEP

14



#### Light panel in the roof

A light panel in the roof provides light without using electricity

Article no.: ZDLD-1x2 for container width 2.1m

Article no.: ZDLD-1x2,2 for container width 2.3m

15



#### Sliding window in high grade plastic

Sliding window (750 x 850mm) with single glazing and interior lock (as burglar protection) and shutters with magnetic catches (for securing when open).

Article no.: ZSFG

# Competence and know-how – that you can count on

Customers all over the world have relied on our experience and quality standards for 45 years. Quick-Build-Containers from BOS Best Of Steel solve storage problems in the shortest time, are TÜV tested and guarantee a high level of work and operational safety. We focus on fast and simple assembly, high quality materials and a robust construction.

## Proven Best-Point technology – your advantages:

Our unique Best-Point connection technology ensures that the material surface is not damaged. This has two significant benefits:

1. **Intact zinc coating:** in comparison to conventional manufacturing methods, the protective zinc coating remains intact.
2. **Long-term corrosion protection:** we are so confident in the quality of our Best-Point connections that we offer a 10 year corrosion protection guarantee.

In our business field 'Steel Frames' we have been producing door frames in steel for more than 55 years. Visit us at [www.BestOfSteel.de](http://www.BestOfSteel.de) and see for yourself.



Quality




Environment



Safety



Energy



**BOS GmbH Best Of Steel**

Lütkenfelde 4, D-48282 Emsdetten

Phone: +49 (0)2572 203-170

Fax: +49 (0)2572 203-179

E-Mail: [Container@BestOfSteel.de](mailto:Container@BestOfSteel.de)

Web: [www.Container-BestOfSteel.de](http://www.Container-BestOfSteel.de)

Your distributor:



BOS Best Of Steel is proud to be part of the JELD-WEN global family of product brands and companies.