

BOS
Best Of Steel

For indoor and outdoor use
STORAGE BOX FOR SELF STORAGE



FROM THE MARKET LEADER!


Storage Box for Self Storage



THE CLASSIC
NO. 1 WORLDWIDE



Assembly video:








Burglar protection
Retrofittable security system
including padlock




Article no. EBS-1 (single door),
EBS-2 (double door)



Shelving system
3 levels, 1/2/3m lengths,
420mm depth. From galvanized
steel, load bearing capacity of
50kg per shelf bracket. Self-
supporting construction so that
the whole floor surface can be
used. Adjustable in height in
100mm steps.
Article no. RS-3-1-420 (1 m),
RS-3-2-420 (2 m), RS-3-3-420 (3 m)

Storage Box for Self Storage

	Door arrangements:					
	<div> <div>  <p>LE</p> <p>In side wall, single door: 1150x1890mm</p> </div> <div>  <p>SE</p> <p>In front face, single door: 1150x1890mm</p> </div> <div>  <p>SZ</p> <p>In front face, double door: 1950x1890mm</p> </div> <div>  <p>SZS</p> <p>In front face, double door: 1550x1890mm</p> </div> </div>					
Box	1x2	2x2	3x2	4x2	5x2	6x2
Width external/internal (mm)	2100 / 1975	2100 / 1975	2100 / 1975	2100 / 1975	2100 / 1975	2100 / 1975
Depth external/internal (mm)	1100 / 975	2100 / 1975	3100 / 2975	4100 / 3975	5100 / 4975	6100 / 5975
Height external/internal (mm)	2100 / 1935	2100 / 1935	2100 / 1935	2100 / 1935	2100 / 1935	2100 / 1935
Weight (kg)	200	290	350	450	600	700
in stock						

 <p>(Big10 / Big20)</p>	Door arrangements:		
	<div> <div>  <p>SE</p> <p>In front face, single door: 1150x2235mm</p> </div> <div>  <p>SZ</p> <p>In front face, double door: 1750x2235mm</p> </div> </div>		
Box 'Big'	10	20	40 (= 2x20, joined)
Width external/internal (mm)	2300 / 2175	2300 / 2175	2300 / 2175
Depth external/internal (mm)	3100 / 2975	6100 / 5975	12200 / 12075
Height external/internal (mm)	2445 / 2280	2445 / 2280	2445 / 2280
Height lower edge of roof in coupling section (mm)	—	—	2220
Weight (kg)	450	800	1200



Anti-condensation coating

The pre-applied coating on the underside of the roof absorbs humidity protecting stock effectively from condensation.



Access ramp

Suitable for single and double doors. Made of non-slip aluminium-duet-sheeting. 870x1460mm, load 250kg.

Article no. AKW

Article no. AFR-920

Applications for Storage Boxes



Self Storage way up high – on a car park deck



Flexible and fast



Up to 3 Storage Boxes can be stacked on top of each other



Storage Boxes in a former underground car park – central and easily accessible



Mobile use of the Storage Box – loading and unloading directly on the customer's doorstep

6 good reasons for BOS Self Storage Boxes



Perfect for indoor and outdoor storage



- Durable and maintenance-free due to fully galvanized design
- Natural ventilation
- Easy access via comfortable door handle set



Individual storage solution



- Adaptable to fit every demand
- Storage space at any time in any place



Flexible



- Mobile, location can be changed at any time
- Quick assembly and disassembly, without tools
- Stackable (3x indoors)



Security



- Visual, weather and theft protection



Best cost-benefit ratio



- Low payback period
- Low investment risk, as needs-based/ demand based ordering options



Full service



- Personal, on-site consultation
- Layout design/ drawing of your project
- Scheduled delivery
- Assembly on request

50 years of experience at your service

As the market leader, BOS Best Of Steel is continually working on improving solid material storage which is easy to transport. It can quickly be put into use and can be extended at any time because of the modular construction. A storage solution with sturdy all-round protection and an outstanding cost-benefit ratio. Our claim: we always offer the simplest and most suitable solution for all sorts of different applications.



BOS Best Of Steel is servicing the following partners:

FEDERATION OF EUROPEAN
FEDESSA
SELF STORAGE ASSOCIATIONS



BOS GmbH Best Of Steel

Lütkenfelde 4, D- 48282 Emsdetten

Phone: +49 (0)2572 203-170

Fax: +49 (0)2572 203-179

E-Mail: selfstorage@BestOfSteel.de

Web: www.Container-BestOfSteel.de



Quality



Environment



Safety



Energy

